

Intercomparison of operational wave forecasting systems against
in-situ observations: data from BoM, DMI, DWD, ECCO,
ECMWF, JMA, KMA, METEOAM, NCEP, NIWA, PRTOS,
SHNSM, UKMO.





00 UTC runs only

WMO Lead Centre for Wave Forecast Verification LC-WFV,
European Centre for Medium-Range Weather Forecasts ECMWF

December 19, 2019





PART III: 10 meter wind speed (10ff)

Buoys observations - from 20190901 to 20191130 - (10ff)




Northern Hemisphere. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)




Tropics. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).


Buoys observations - from 20190901 to 20191130 - (10ff)




10m wind speed
Scatter index
Europe (lat. 35.0 to 75.0, lon. -12.5 to 42.5)
Date: 20190901 00UTC to 20191130 00UTC
Average for every grid 00UTC. Mean method for



10m wind speed
Root mean square error
Europe (lat. 35.0 to 75.0, lon. -12.5 to 42.5)
Date: 20190901 00UTC to 20191130 00UTC
Average for every grid 00UTC. Mean method for





10m wind speed
Mean error
Europe (lat. 35.0 to 75.0, lon. -12.5 to 42.5)
Date: 20190901 00UTC to 20191130 00UTC
Average for every grid 00UTC. Mean method for





Europe. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)





Mediterranean Sea. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)




North Sea. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 2019




South West Europe. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).


Buoys observations - from 20190901 to 20191130 - (10ff)




10m wind speed
Scatter index
North East Atlantic (lat 30 to 72, lon -40 to -4)
Date: 20190901 00UTC to 20191130 00UTC
average for area grid 00UTC. Mean method: lat



10m wind speed
Root mean square error
North East Atlantic (lat 30 to 72, lon -40 to -4)
Date: 20190901 00UTC to 20191130 00UTC
average for area grid 00UTC. Mean method: lat







10m wind speed
Mean error
North East Atlantic (lat 30 to 72, lon -40 to -4)
Date: 20190901 00UTC to 20191130 00UTC
average for area grid 00UTC. Mean method: lat







North East Atlantic. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)







North West Atlantic. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)







North East Pacific. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)







North West Pacific. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)







Indian Ocean. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)






Gulf of Mexico. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)



Hawaii. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20190901 to 20191130 - (10ff)



South of South America. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).