

Ocean Waves

Jean-Raymond Bidlot
Earth System Modelling Section
Research Department
European Centre for Medium-range Weather Forecasts
jean.bidlot@ecmwf.int

Waves breaking on the sea front in Ardrossan, Western Scotland,
as Storm Gertrude hits the UK on January 29, 2016.



Ocean waves:

We are dealing with wind generated waves from gentle to rough ...



May 1, 2013

Porthleven Clock Tower, Cornwall, UK




February 5, 2014

Observe individual waves,


After a while, you can estimate a characteristic height the waves:
the Significant Wave Height, H_s ,

You might also notice that some waves are larger than the rest,
characterised by the Maximum Individual Wave Height, H_{max}




Surface elevation time series from platform Draupner in the North Sea

How do we go about making predictions on the sea state?




Wave Spectrum



- The irregular water surface can be decomposed into (*infinite*) number of simple sinusoidal components with different **frequencies** (f) and propagation **directions** (θ).

- The distribution of wave energy among those components is called:
“**wave spectrum**”,
 $F(f, \theta)$.




Modern ocean wave prediction systems are based on statistical description of oceans waves (i.e. ensemble average of individual waves).

The sea state is described by the two-dimensional wave spectrum $F(f, \theta)$.

For instance, the sea state off the coast of Holland might be the result of a local sea breeze. These waves are generally known as **windsea**

Waves might have also propagated from their generation area as **swell**



Windsea: broad distribution of the waves around a peak

swell: well defined peak in direction and frequency.

Ocean Wave Modelling

- The 2-D spectrum follows from the energy balance equation (in its simplest form: deep water case):

$$\frac{\partial F}{\partial t} - \left(\frac{\rho}{V_g} \cdot \nabla F \right) = S_{in} + S_{nl} + S_{diss}$$

Where the group velocity V_g is derived from the dispersion relationship which

- relates frequency (f) and wave number (k) for a given water depth (D).

S_{in} : wind input source term (**generation**).




Figure 6.16 The wave-induced wind-pressure variation over a propagating harmonic wave

the wave grows by this mechanism, the mechanism becomes the wave can therefore grow faster, which in turn makes the mechanism effective, etc.

S_{nl} : non-linear 4-wave interaction (**redistribution**).





Figure 6.20 Quadruplet wave-wave interactions (realisable in deep water). Two pairs of wave components can create two diamond patterns with identical wave lengths and directions and therefore identical wave numbers. When the four waves are superimposed (not shown here), they can thus resonate. The wave-number vectors of the four wave components are shown in the right-hand panel in wave-number space with $k_1 + k_2 = k_3 + k_4$.

S_{diss} : dissipation term due to whitecapping (**dissipation**).



Wave Model Parameters

- Once you know the wave spectrum F , any other sea state parameters can be estimated. For example, the mean variance of the sea surface elevation η due to waves is given by:

$$\langle \eta^2 \rangle = \iint F(f, \theta) df d\theta$$

- The statistical measure for wave height, called the **significant wave height** (H_s):

$$H_s = 4\sqrt{\langle \eta^2 \rangle}$$

The term **significant wave height** is historical as this value appeared to be well correlated with visual estimates of wave height from experienced observers.



It can be shown to correspond to the average 1/3rd highest waves ($H_{1/3}$).

Wave Model Parameters

**2-D spectrum can be used but it is only manageable
if you only look at one location ...**

NORMALISED 2-D SPECTRUM for 0001 wave od
06:00Z on 15.02.2009
at 62095 (53.06°, -15.92°)

Hs= 2.40 m, Tm= 7.23 s, Tp= 6.93 s
Peakedness Qp = 0.96, Directional Spread = 1.37
MWD = 19° PWD = 15°
Propagation direction is with respect to North
North is pointing upwards
Concentric circles are every 0.05 Hz




Wave Model Products

The complete description of the sea state is given by the 2-D spectrum, however, it is a fairly large amount of data.

It is therefore reduced to integrated quantities:

1-D spectrum obtained by integrating the 2-D spectrum over all directions and/or over a frequency range.



Wave Model Parameters


When simple numbers are required, the following parameters are available:

The significant wave height (H_s).


The peak period (period of the peak of the 1-D spectrum).

Mean period(s) obtained from weighted integration of the 2-D spectrum.

Integrated mean direction.
and many others.




ECMWF Wave Model Configurations



Global from 81°S to 90°N

Coupled to the atmospheric model with feedback of the sea **surface roughness** change due to waves.



ECMWF Wave Model Configurations

High resolution (HRES-WAM)

- 14 km grid spacing.
- Dissemination grid: $0.125^{\circ} \times 0.125^{\circ}$
- 36 frequencies.
- 36 directions.
- Coupled to the TCo1279 model.

- Analysis every 6 hrs and 10 day forecasts from 0 and 12 UTC.
- **10 day forecasts coupled to ocean model from next Cycle (45R1, June 2018)**

Ensemble forecasts (EPS-WAM)


- 28 km grid spacing.
- Dissemination grid: $0.25^{\circ} \times 0.25^{\circ}$
- 36 frequencies.
- 36 directions .
- Coupled to TCo639 .
- (50+1) 15 day forecasts from 0 and 12UTC (monthly twice a week).
- **Coupled to ocean model.**

Wave Model Products: EFI plots

From the model climate, it is possible to derive indices that indicate deviations in probabilistic terms from what is 'expected'.

Extreme Forecast Index (EFI): 1 means that all EPS are above climate.


Tue 26 Jan 2016 00UTC ©ECMWF t+72-96h VT: Fri 29 Jan 2016 00UTC - Sat 30 Jan 2016 00UTC
Extreme forecast index and Shift of Tails (black contours 0,1,2,5,8) for max significant wave height



Mon 25 Jan 2016 00UTC ©ECMWF VT: Fri 29 Jan 2016 00UTC - Sat 30 Jan 2016 00UTC 72-96h
max significant wave height (in m) Model climate Q99 (one in 100 occasions realises more than value shown)



Tuesday 26 January 2016 00 UTC ecmf Forecast t+84 VT: Friday 29 January 2016 12 UTC meanSea Significant height of combined wind waves and swell
MAXIMUM OF SIGNIFICANT WAVE HEIGHT
t+84 to t+96




EFI and shift of tail for significant wave height
Tue 26 Jan 2016, 00 UTC, t=72-96
Gertrude (UK), Tor (Norway)

significant wave height

Wave Model Products


Fri 29 Jan 2016 00UTC @ECMWF t+0-24h VT: Fri 29 Jan 2016 00UTC - Sat 30 Jan 2016 00UTC
 Extreme forecast index and Shift of Tails (black contours 0,1,2,5,8) for max significant wave height



Thu 28 Jan 2016 00UTC @ECMWF VT: Fri 29 Jan 2016 00UTC - Sat 30 Jan 2016 00UTC 0-24h
 max significant wave height (in m) Model climate Q99 (one in 100 occasions realises more than value shown)





Friday 29 January 2016 00 UTC ecmf Forecast t+12 VT: Friday 29 January 2016 12 UTC meanSea
 MAXIMUM OF SIGNIFICANT WAVE HEIGHT
 t+12 to t+24




Fri 29 Jan 2016, 00 UTC, t=12-24

A bit more compact: Wave EPSgram:




Like normal EPSgram but for wind direction, wind speed, significant wave height, mean wave direction and mean period.



A bit more compact: Wave EPSgram:




ENS Control(55 km) High Resolution (28 km)




Each octant is coloured based on the distribution of the significant wave height associated with each mean direction. The coloured areas correspond to the fractional number of ensemble members with wave height in the range specified by the coloured ruler.

A bit more on Wave Model Products

**Use simple parameters:
total wave height and mean propagation direction**



**10m winds and mean sea level pressure:
Analysis : 14 February 2009, 00 UTC**






**Wave height and mean direction:
Analysis : 14 February 2009, 00 UTC**


Wave Model Products

NORMALISED 2-D SPECTRUM for 0001 wave od
00:00Z on 14.02.2009
at 62001 (45.20°, -5.00°)

Hs= 1.76 m, Tm= 11.25 s, Tp= 13.51 s
Peakedness Qp = 2.18, Directional Spread = 1.38
MWD = 93° PWD = 90°
Propagation direction is with respect to North
North is pointing upwards
Concentric circles are every 0.05 Hz




Wave height and me
Analysis : 14 February




PEAK PERIOD:
Analysis : 14 February 2009, 00 UTC

Wave Model Products

Situation might be more complicated !



**10m winds and mean sea level pressure:
Analysis : 15 February 2009, 00 UTC**






**Wave height and mean direction:
Analysis : 15 February 2009, 00 UTC**

Wave Model Products

Situation might be more complicated:

NORMALISED 2-D SPECTRUM for 0001 wave od
00:00Z on 15.02.2009
at 62001 (45.20°, -5.00°)


$H_s = 2.27$ m, $T_m = 7.69$ s, $T_p = 12.29$ s
Peakedness $Q_p = 1.05$, Directional Spread = 1.40
MWD = 248° PWD = 90°
Propagation direction is with respect to North
North is pointing upwards
Concentric circles are every 0.05 Hz




**Wave height and mean direction:
Analysis : 15 February 2009, 00 UTC**

Wave Model Products

A scheme is used to split the global wave fields into waves which are under the direct influence of the forcing wind, the so-called **windsea** or wind waves, and those waves that are no longer bound to the forcing wind, generally referred to as **swell**. Period and mean direction are also determined for these split fields.



Wave height and **windsea** mean direction:
Analysis : 15 February 2009, 00 UTC





Wave height and **swell** mean direction:
Analysis : 15 February 2009, 00 UTC

Wave Model Products


Windsea and swell: opposing sea

NORMALISED 2-D SPECTRUM for 0001 wave od
00:00Z on 15.02.2009
at 62001 (45.20°, -5.00°)

Hs= 2.27 m, Tm= 7.69 s, Tp=12.29 s
Peakedness Cp = 1.05, Directional Spread = 1.40
MWD = 248° PWD = 90°
Propagation direction is with respect to North
North is pointing upwards
Concentric circles are every 0.05 Hz



ECMWF Analysis VT:Sunday 15 February 2009 00UTC Surface: windsea: height_direction





Wave Model Products


Windsea and swell: cross sea

NORMALISED 2-D SPECTRUM for 0001 wave od
18:00Z on 15.02.2009
at 62095 (53.06°, -15.92°)

Hs= 2.65 m, Tm= 8.30 s, Tp=12.29 s
Peakedness Op = 1.01, Directional Spread = 1.34
MWD = 37° PWD = 60°
Propagation direction is with respect to North
North is pointing upwards
Concentric circles are every 0.05 Hz






ECMWF Analysis VT: Sunday 15 February 2009 00UTC Surface: windsea: height_direction





Since May 2015: spectral partitioning

Operational:

NORMALISED 2-D SPECTRUM for fp2t wave rd
00:00UTC on 06.06.2012
at XXXXX (60.00°, -5.00°), 332.0 m
Hs= 1.79 m, Tm= 7.43 s, Tp= 9.23 s
Mean Wave Dir.= 233° Peak Wave Dir.= 200°
Hws= 0.98 m, Tws= 3.8 s, Mean Windsea Dir.(green)= 306°
Hsw= 1.50 m, Tsw= 9.0 s, Mean Swell Dir.(red)= 193°
Wind Speed = 8.37 m/s, Wind Dir.(blue)= 306°, u' = 0.338 m/s
Directions in oceanographic convention (North upwards)
Concentric circles are every 0.05 Hz



New decomposition (set of vectors):



arrow length: wave height,
arrow colour: corresponding mean wave period

Ocean wave forecasts

At the end of December 2013 and beginning of January 2014, the UK and western Europe were battered by large waves:



Ocean wave forecasts

Then again in February and early March:



May 1, 2013


Porthleven Clock Tower, Cornwall



February 5, 2014



Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 12 hours



Ocean wave forecasts


Wave height forecast and wind from 4 January 2014, step 24 hours



Nearing
20m
at its peak !


Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 36 hours




Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 48 hours




Ocean wave forecasts

Wave height forecast and wind from 4 January 2014, step 60 hours



Porthcawl, South Wales, 6 Jan 2014



Nazare, Portugal, Jan 6, 2014

Long swell forecasts

Swell are long waves propagating away from storms.


It is possible to follow the evolution of the swell.

Define the Equivalent Wave Height:

EWH,
Equivalent Wave Height
for a given frequency bin:

$$EHW = 4\sqrt{A}$$


where A is the
area under curve for
a given frequency bin




Long swell forecasts

Wave height and long swell forecast from 4 January 2014, step 24


Significant wave height (m)




Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)



Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)



Significant wave height (m)



Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)




Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)




Long swell forecasts

Wave height and long swell forecast from 4 January 2014, step 48


Significant wave height (m)



Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)



Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)



Significant wave height (m)



Wave energy in terms of wave height for waves with periods between 25 and 29 sec. (1000 to 1300 m wavelength)



Wave energy in terms of wave height for waves with periods between 21 and 25 sec. (700 to 1000 m wavelength)





These long swell parameters have been introduced in operation in November 2016

A more 'classic' use of the EPS:

From an ensemble of wave forecasts it is possible to derive probabilities for certain wave conditions.

Tuesday 6 November 2001 12UTC ECMWF EPS Probability Forecast t+120 VT: Sunday 11 November 2001 12UTC
Surface: significant wave height probability >8




06 Nov. 2001 12 UTC ECMWF EPS probability forecast t+120

Significant wave height above 8 m


Basic EPS Wave Model Products

Wednesday 27 January 2016 12UTC ©ECMWF Forecast probability ± 060 VT: Saturday 30 January 2016 00UTC
Surface: Significant wave height of at least 6 m



Basic EPS Wave Model Products

Wednesday 27 January 2016 12UTC ©ECMWF Forecast probability ± 060 VT: Saturday 30 January 2016 00UTC
Surface: Significant wave height of at least 8 m




EFI plots

From the new model climate, it is possible to derive indices that indicate deviations in probabilistic terms from what is 'expected'.


Extreme Forecast Index (EFI): -1 means that all EPS are below climate.

Fri 15 Jun 2012 12UTC ©ECMWF t+60-84h VT: Mon 18 Jun 2012 00UTC - Tue 19 Jun 2012 00UTC
Extreme forecast index and Shift of Tails (black contours 0,1,5,10,15) for max significant wave height



EFI for significant wave height

Thu 14 Jun 2012 00UTC ©ECMWF VT: Mon 18 Jun 2012 00UTC - Tue 19 Jun 2012 00UTC 60-84h
max significant wave height (in m) Model climate Q1 (one in 100 occasions realises less than value shown)




01 percentile of the distribution for significant wave height

We are not always dealing with nice 'predictable' waves:





Individual Waves,
Significant Wave Height, H_s ,
Maximum Individual Wave Height, H_{max} , and
Freak Wave



If $H_{max} > 2.2 H_s \rightarrow$ freak wave event

Wave Model Products: Extreme Waves

We have a parameter to estimate the height of the **highest individual wave** (H_{max}) one can expect. Its value can be derived from the 2d wave spectrum:





March 3, 2010, 15UTC

Forecasts fields from Friday 2 March, 2010, 0 UTC


Continued general improvement of model forecasts

For example: ECMWF forecast wave height against buoy measurements:

Home -> Forecasts -> Charts -> Verifications -> Wave Products Comparison



In-situ wave observations



See also the Wave Forecast Verification Project maintained on behalf of the Expert Team on Waves and Storm Surges of the WMO-IOC Joint Technical Commission for Oceanography and Marine Meteorology (JCOMM)

Questions ?